

## Papers published in Refereed Journals

1. Arts, I. C. W., Sesink, A. L. A. & Hollman, P. C. H. Quercetin-3-glucoside is transported by the glucose carrier SGLT1 across the brush border membrane of rat small intestine. *J. Nutr.* 132: 2823 (2002).
2. Aura, A.-M., O'Leary, K.A., Williamson, G., Ojala, M., Bailey, M., Puupponen-Pimiä, R., Nuutila, A.M., Oksman-Caldentey, K.-M., and Poutanen, K. Quercetin derivatives are deconjugated and converted to hydroxyphenylacetic acids but not methylated by human fecal flora *in vitro*. *Journal of Agricultural and Food Chemistry* 50, 1725-1730 (2002).
3. Berrin, J.G., Mclauchlan, W.R., Needs P., Williamson, G., Puigserver, A., Kroon P. and Juge, N.: Functional expression of human liver cytosolic  $\beta$ -glucosidase in *Pichia pastoris*. *European Journal of Biochemistry* 269(1), 249-258 (2002).
4. Bouktaib, Mohamed; Atmani, Aziz; Rolando, Christian. Regio- and stereoselective synthesis of the major metabolite of quercetin, quercetin-3-O-D-glucuronide. *Tetrahedron Letters*, 43(35), 6263-6266. (2002)
5. Caderni G., M.G. Perrelli, , F. Cecchini, L. Tessitore. Enhanced growth of colorectal aberrant crypt foci in refed rats involves changes in TGF $\beta$ <sub>1</sub> and p21<sup>cip</sup> expressions. *Carcinogenesis* 23, 323-327, (2002).
6. Caderni, G., C. De Filippo, C. Luceri, M. Salvadori, A. Giannini, A. Biggeri, S. Remy, V. Cheynier and P. Dolara. Effects of black tea, green tea and wine extracts on intestinal carcinogenesis induced by azoxymethane (AOM) in F344 rats. *Carcinogenesis*, 21, 1965-1969, (2000).
7. Caderni, G., C. Luceri, C. De Filippo, M. Salvadori, A. Giannini, L. Tessitore and P. Dolara. Slow-release pellets of sodium butyrate do not modify azoxymethane-(AOM) induced intestinal carcinogenesis in F344 rats. *Carcinogenesis* 22, 525-527, (2001).
8. Caderni, G., Femia A.P., Giannini, A., Favuzza, G., Luceri, C. Salvadori, M. and P. Dolara. Identification of mucin-depleted foci in the unsectioned colon of AOM treated rats. Correlation with carcinogenesis. *Cancer Res.* 2003 (in press).
9. Catterall F, Souquet J-M, Cheynier V, Clifford MN and Ioannides C. Modulation of the mutagenicity of food carcinogens by oligomeric and polymeric procyanidins isolated from grape seeds: synergistic genotoxicity with *N*-nitrosopyrrolidine. *Journal of the Science of Food and Agriculture* 80: 91–101 (2000)
10. Catterall F, Souquet J-M, Cheynier V, Pascual-Teresa S, Santos-Buelga C, Clifford MN and Ioannides C (2002). Differential modulation of the genotoxicity of food carcinogens by naturally occurring monomeric and dimeric polyphenolics. *Environmental and Molecular Mutagenesis* 35: 86–98.
11. Catterall, F. N.J. McArdle, L. Mitchell, A. Papayanni, M.N. Clifford and C. Ioannides (2003) Hepatic and intestinal cytochrome P450 and conjugase activities in rats treated with black tea theaflavins and theaflavins. *Fd. Chem. Toxicol.* (In press).

12. Catterall, L.J. King, M.N. Clifford MN and **C. Ioannides** (2003) Bioavailability of dietary doses of <sup>3</sup>H-labelled antioxidants (+)-catechin and (–)-epicatechin in the rat, *Xenobiotica*. (In Pres).
13. Clifford MN, Copeland EL, Bloxsidge JP and Mitchell LA Hippuric acid is a major excretion product associated with black tea consumption. *Xenobiotica* 30: 317–326. (2000)
14. Clifford MN The health effects of tea and tea components. Appendix 1. A nomenclature for phenols with special reference to tea. *CRC Critical Reviews in Food Science and Nutrition* 41: 393–397. (2000)
15. Comte, G., Daskiewicz, J.B., Bayet, C., Conseil, G., Viornery-Vanier, A., Dumontet, C., Di Pietro, A. & Barron, D. C-Alkylation of flavonoids enhances binding affinity towards P-glycoprotein and modulation of cancer cell chemoresistance. *J. Med. Chem.* 44, 763-768. (2001).
16. Cren-Olive C; Deprez S; Lebrun S; Coddeville B; Rolando C Characterization of methylation site of monomethylflavan-3-ols by liquid chromatography/electrospray ionization tandem mass spectrometry. *Rapid Communications in Mass Spectrometry* 14(23), 2312-9 (2000)
17. Cren-Olivé, C. Elizabeth Tessier, Patrick Duriez, Christian Rolando, Structure-activity relationship for the inhibition of LDL oxidation by catechin methylated metabolites and analogues, *Free Radical Research* (in press).
18. Cren-Olive, C.; Lebrun, S.; Hapiot, P.; Pinson, J.; Rolando, C.. Selective protection of catechin gives access to the intrinsic reactivity of the two phenol rings during H-abstraction and photo-oxidation. *Tetrahedron Letters* , 41, 5847-5851. (2000).
19. Cren-Olive, Cecile; Hapiot, Philippe; Pinson, Jean; Rolando, Christian. Free Radical Chemistry of Flavan-3-ols: Determination of Thermodynamic Parameters and of Kinetic Reactivity from Short (ns) to Long (ms) Time Scale. *Journal of the American Chemical Society* 124, 14027-14038. (2002),
20. Cren-Olive, Cecile; Lebrun, Stephane; Rolando, Christian. An efficient synthesis of the four mono methylated isomers of (+)-catechin including the major metabolites and of some dimethylated and trimethylated analogues through selective protection of the catechol ring. *Journal of the Chemical Society, Perkin Transactions 1* (6), 821-830. (2002).
21. Cren-Olive, Cecile; Wieruszkeski, Jean-Michel; Maes, Emmanuel; Rolando, Christian. Catechin and epicatechin deprotonation followed by <sup>13</sup>C NMR. *Tetrahedron Letters* 43, 4545-4549. (2002).
22. Daskiewicz, J.B., Bayet, C. and Barron, D. Rearrangement of 5-O-prenyl flavones: a regioselective access to 6-C-(1,1-dimethylallyl)- and 8-C-(3,3-dimethylallyl) flavones. *Tetrahedron Lett.* 42, 7241-7244. (2001).
23. Daskiewicz, J.B., Bayet, C. and Barron, D. Regioselective syntheses of 6-(1,1-dimethylallyl)- and 8-(3,3-dimethylallyl) chrysin. *Tetrahedron* 58, 3589-3595. (2002)
24. Daskiewicz, J.B. and Barron, D. (2003) Substituent effects in the BF<sub>3</sub>-mediated acylation of phenols with cinnamic acids. *Nat. Prod. Lett.*, (in press).
25. Day AJ, Gee, JM, DuPont, SM, Johnson, IT, Williamson, G Absorption of quercetin-3-glucoside and quercetin-4'-glucoside in the rat small

- intestine: the role of lactase phlorizin hydrolase and the sodium-dependent glucose transporter. *Biochemical Pharmacology* (in press). (2003).
26. Day, A.J., Mellon, F., Barron, D., Sarrazin, G., Morgan, M.R.A. & Williamson, G. Human metabolism of dietary flavonoids: identification of plasma metabolites of quercetin. *Free Radical Res.* 35, 941-952. (2001).
  27. Dhawan A, Anderson D, de Pascual-Teresa S, Santos-Buelga C, Clifford MN and Ioannides C Evaluation of the antigenotoxic potential of monomeric and dimeric flavanols, and black tea polyphenols against heterocyclic amine-induced DNA damage in human lymphocytes using the Comet assay. *Mutation Res.*, 515, 39-56. (2002).
  28. De Filippo, C., C. Luceri, G. Caderni, M. Pacini, L., Messerini, A. Biggeri, E. Mini, F. Tonelli, F. Cianchi, F. Tonelli. Mutations of the *APC* gene in Human Sporadic Colorectal Cancers. *Scand. J. Gastroenterol.* 37, 1048-1053, (2002).
  29. Depeint F, Gee JM, Williamson G, Johnson IT Evidence for consistent patterns between flavonoids structures and cellular activities. *Proceedings of the Nutrition Society* 61, 97-103. (2002)
  30. Dolara, P. G. Caderni, M. Salvadori, G. Morozzi, R. Fabiani, A. Cresci, C. Orpianesi, G. Trallori, A. Russo, D. Palli. Faecal levels of short chain fatty acids and bile acids as determinants of colonic mucosa cell proliferation in humans. *Nutr. Cancer.* 42, 186-190, (2002).
  31. Dolara, P., G. Caderni, C. Luceri. Putative biomarkers in colon carcinogenesis *Toxicol. Lett.* 112-113 415-420, (2000).
  32. Femia, A. P., G. Caderni, C. Buzzigoli, E. Cocca, M. Salvadori and P. Dolara Effect of simple phenolic compounds on azoxymethane (AOM)-induced aberrant crypt foci (ACF) in rat colon. *Nutr. Cancer*, 41, 107-110, 2001.
  33. Gee, J.M Flavonoid glycosides and isoflavonoids are absorbed by different mechanisms *Polish Journal of Food and Nutrition Sciences* 11/52 (SI1) 44-49. (2002).
  34. Gee JM, DuPont MS, Day AJ, Plumb GW, Williamson G, Johnson IT Intestinal transport of quercetin glycosides in rats involves both deglycosylation and interaction with the hexose transport pathway. *Journal of Nutrition* 130, 2765-2771. (2000).
  35. Gee, JM, Hara H, and Johnson, IT Suppression of intestinal crypt cell proliferation and aberrant crypt foci by dietary quercetin in rats. *Nutrition and Cancer* 43, 193-201. (2002).
  36. Gee. J.M and Johnson, I.T. Polyphenolic compounds: Interactions with the gut and implications for human health. *Current Medical Chemistry* 8, 1245-1255. (2001).
  37. Gee, J.M., Wroblewska, M.A., Wilkinson, A.P., DuPont, M.S. and Johnson, I.T. Flavonol and isoflavonol glycosides are absorbed and transported by different mechanisms in the rat small intestine. *Polish J. Food Nutr. Sci.*, 11/52, SI 1, 44-49. (2002).
  38. Giovannelli, L. C. Saieva, G. Masala, G. Testa, S. Salvini, V. Pitozzi, E. Riboli, P. Dolara e D. Palli. Nutritional and lifestyle determinants of DNA oxidative damage: a study in a Mediterranean population. *Carcinogenesis*, (in press), (2003).

39. Giovannelli, L. F. Decorosi, P. Dolara e L. Pulvirenti. Vulnerability to DNA damage)in the aging rat substantia nigra: a study with the comet assay. *Brain Res.*, (in press),(2003).
40. Giovannelli, L., A. Cozzi, I. Guarnieri, P. Dolara e F. Moroni, The comet assay as a novel approach for studying DNA damage in focal cerebral ischemia: differential effects of NMDA receptor antagonists and poly(ADP-ribose) polymerase inhibitors. *J. Cereb. Blood Flow Metab.* 22, 697-704, (2002).
41. Giovannelli, L., G. Testa, C. De Filippo, V. Cheynier, M. N. Clifford e P. Dolara, Effect of complex polyphenols and tannins from red wine on DNA oxidative damage of rat colon mucosa *in vivo*. *Eur. J. Nutrition* 39, 207-212, (2000).
42. Gonthier M.-P., Cheynier V., Mila I., Lapierre C., Donovan J.L., Manach C., Morand C., Rémésy C. & Scalbert A. Microbial aromatic acid metabolites formed in the gut account for a major fraction of the polyphenols excreted in urine of rats fed red wine polyphenols. *Journal of Nutrition*, , 133 (2): 461-467. (2003).
43. Gonthier M.-P., Rios L.Y., Verny M.-A., Rémésy C. & Scalbert A. A novel Liquid Chromatography/Electrospray Ionization Mass Spectrometry method for the quantification in human urine of microbial aromatic acid metabolites derived from dietary polyphenols. *Journal of Chromatography B Biomedical Sciences and Applications*, 2003 (in press).
44. Gonthier M.-P., Verny M.-A., Besson C., Rémésy C. & Scalbert A. Chlorogenic acid bioavailability largely depends on its metabolism by the gut microflora in rats. *Journal of Nutrition*, 2003 (in press).
45. Guglielmi, F. C. Luceri, L. Giovannelli, P. Dolara and M. Lodovici. Effect of 4-coumaric and 3,4-dihydroxybenzoic acid on oxidative DNA damage in rat colon mucosa. *Br. J. Nutr.*, 2003. (in press),
46. Johnston KL Clifford MN and Morgan LM. Possible role for apple juice phenolic compounds in the acute modification of glucose tolerance and gastrointestinal hormone secretion in humans. *Journal of the Science of Food and Agriculture* 82: 1800–1805. (2002).
47. Lodovici, <M., C. Casalini, C. De Filippo, E. Copeland, X. Xu, M. Clifford and P. Dolara. Inhibition of 1,2-dimethylhydrazine-induced oxidative DNA damage in rat colon mucosa by black tea polyphenols. *Food Chem. Toxicol.* 38, 1085-1088, (2000).
48. Lodovici, M., C. Casalini, R. Cariaggi, L. Michelucci and P. Dolara. Levels of 8-hydroxy-2-deoxyguanosine, a marker of oxidative DNA damage, in human leukocytes. *Free Radical Biol. Med.* 28, 13-17, (2000).
49. Lodovici, M., F. Guglielmi, C. Casalini, M. Meoni, V. Cheynier and P. Dolara. Antioxidant and radical scavenging properties in vitro of polyphenolic extracts from red wine. *Eur. J. Nutr.* 40, 74-77, (2001).
50. Lodovici, M., F. Guglielmi, M. Meoni, and P. Dolara. Effect of natural phenolic acids on DNA oxidation in vitro. *Food Chem. Toxicol.* 39, 1205-1210, (2001).
51. Lodovici, M., L. Raimondi, F. Guglielmi, S. Gemignani, and P. Dolara. Protection against ultraviolet B-induced DNA damage in rabbit corneal derived cells (SIRC) by 4-coumaric acid. *Toxicology*, (in press), 2003.

52. Luceri, C., C De Filippo, F Guglielmi, G Caderni, L Messerini, A Biggeri, E Mini, F Tonelli, F Cianchi, P Dolara. Microsatellite instability in a population of sporadic colorectal cancers: correlation between genetic and pathological profiles. *Dig. Liver Dis.*, (in press), 2003.
53. Luceri, C., C. De Filippo, G. Caderni, L. Gambacciani, M. Salvadori, A. Giannini and P. Dolara. Detection of somatic DNA alterations in azoxymethane-induced F344 rat colon tumors by random amplified polymorphic DNA analysis. *Carcinogenesis*, 21, 1753-1756, (2000).
54. Luceri, C., F. Guglielmi, C. De Filippo, G. Caderni, E. Mini, A. Biggeri, C. Napoli, F. Tonelli, F. Cianchi and P. Dolara. Clinicopathological Features and FHIT gene expression in sporadic colorectal adenocarcinomas. *Scandinavian J. Gastroenterol.* 35, 637-641, (2000).
55. Luceri, C., G Caderni, A Sanna, P Dolara. Modulation of cyclooxygenase-2, inducible nitric oxide synthase and glutathione-related enzymes by red wine and black tea polyphenols in azoxymethane-induced F344 rat colon carcinogenesis. *J. Nutr.* (in press), 2003.
56. Lodovici M, Casalini C, de Filippo C, Copeland E, Xu X, Clifford MN and Dolara P. Inhibition of 1,2-dimethylhydrazine-induced oxidative DNA damage in rat colon mucosa by black tea complex polyphenols. *Food and Chemical Toxicology* 38: 1085–1088. (2000)
57. Messenger, M.N. Clifford and L.M. Morgan Glucose-dependent insulinotropic polypeptide (GIP) and insulin-like immunoreactivity in saliva following sham-fed and swallowed meals. Novel role for a salivary hormone? *Journal of Endocrinology.* (2003) (In press).
58. Nemeth K, Plumb GW, Berrin JG, Juge N, Jacob R, Naim HY, Williamson G, Swallow DM, Kroon PA. Deglycosylation by small intestinal epithelial cell beta-glucosidases is a critical step in the absorption and metabolism of dietary flavonoid glycosides in humans. *Eur J Nutr.* 42:29-42. (2003).
59. Remy-Tanneau S., Le Guernevé C., Meudec E., Cheynier V. Characterization of a colorless anthocyanin-flavan-3-ol dimer containing both carbon-carbon and ether interflavanoid linkages by NMR and mass spectrometries. *J. Agric. Food Chem.* (in press).
60. Rios L.Y., Bennett R.N., Lazarus S.A., Rémésy C., Scalbert A. & Williamson G. Cocoa procyanidins are stable during gastric transit in humans. *American Journal of Clinical Nutrition*, , 76: 1106-1110 (2002).
61. Rios L.Y., Gonthier M.-P., Lazarus S.A., Rémésy C., Williamson G. & Scalbert A. Chocolate intake increases the urinary excretion of polyphenol-derived phenolic acids in healthy human volunteers. *American Journal of Clinical Nutrition*, 2003 (in press).
62. Sesink, A. L. A., Arts, I. C. W., Faassen-Peters, M. & Hollman, P. C. H. Intestinal uptake of quercetin-3-glucoside in rats involves hydrolysis by lactase phlorizin hydrolase. *J. Nutr.* (in press)
63. Sesink, A. L. A., O'Leary, K. A. & Hollman, P. C. H. Quercetin glucuronides but not glucosides are present in human plasma after consumption of quercetin-3-glucoside or quercetin-4'-glucoside. *J. Nutr.* 131: 1938-1941. (2001)

64. Tessitore L., Davit, A. Sarotto I, Caderni G. Resveratrol depresses the growth of colorectal aberrant crypt foci by affecting BAX and P21<sup>cip</sup> expression. *Carcinogenesis*, 21, 1619-1622, (2000).